

# BARD & BRAZIER

CONSOLE & TOWEL WARMER PRICES WINTER 2016





# BARD & BRAZIER

# LUXURY MANUFACTURING

Bard & Brazier's aim to produce the finest Towel Warmers to the highest quality and standards, both aesthetically and technically, has been realised with the extension of our factory in Wolverhampton. This excellence in our products is due to the precision engineering and skill of our artisan Craftsmen who are responsible for manufacturing every rail by hand.

We are set apart from our competitors by manufacturing every individual internal and external component, ensuring our high standard of quality control is met. It allows us to offer a bespoke service, running hand in hand with our standardized ranges so that the Consumer, Designer or Specifier can have exactly what is wanted in the size that suits.

Using only the highest grade silver solder ensures inherently strong jointing. Prior to plating, each rail passes through our own polishing shop where strict controls ensure that all solder is properly polished from the joints and that flat surface areas are perfectly smooth to ensure perfect plating.

We open our factory doors to welcome any of our valued Clients to visit, where the exacting production processes can be watched and better understood. We are proud to claim that our outstanding products are unmatched in quality and are Made In Britain.

# Our Codes & How To Use Them

### For example with:

### **DRW80/60**

- **DR** = Represents the range name, D-Rail
- **W** = Represents the product style, wall mounted
  - **80** = Represents the product height in cm
  - **60** = Represents the product width in cm

...and with:

### LFF95/60

- **LF** = Represents the range name, La Fayette
- **F** = Represents the product style, floor mounted
  - 95 = Represents the product height in cm
  - **60** = Represents the product width in cm

(Hepburn is the exception HBN105/60 - 105 represents width and 60 represents depth. This is to indicate the space requirement.)

# PLEASE NOTE

All our rails can be made to your own specific sizes and designs can be amended to your requirements

### CONSOLES

### **Hepburn Single**

Marble top single basin and stand 1095h x 1050w x 595d mm (comes with white porcelain basin and 3 pre-drilled holes as standard)

### MARBLE

White Carrara Marble - HB105/6CA

### STAND OPTIONS

Polished Chrome - HBS/PC

Polished Nickel - HBS/PN

Other finishes are available, see page 15



### MARBLE

Black Grigio Carnico - HB105/6GC

### STAND OPTIONS

Polished Chrome - HBS/PC

Polished Nickel - HBS/PN

Other finishes are available, see page 15



### CTW60/60

Wall mounted 3 bar towel warmer 600 x 600mm 865 Btu/h - 254 Watts

> Hydronic Sealed Dual Electric Fuel

Criterion

Polished Chrome

Polished Nickel

Other finishes are available, see page 15,



### CTW120/60

Wall mounted 5 bar towel warmer 1200 x 600mm 1447 Btu/h - 426 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15,



### **Hepburn Double**

Marble top double basin and stand 1095h x 1700w x 595d mm (comes with white porcelain basins and 3 pre-drilled holes as standard)

### MARBLE

White Carrara Marble - HB170/6CA

### STAND OPTIONS

Polished Chrome - DHBS/PC

Polished Nickel - DHBS/PN

Other finishes are available, see page 15



### CTF95/60

Floor mounted 3 bar towel warmer 950 x 600mm 966 Btu/h - 283 Watts

Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### CTF95/80

Floor mounted 3 bar towel warmer 950 x 800mm 1112 Btu/h - 326 Watts



Polished Chrome

Polished Nickel

Other finishes are available, see page



### MARBLE

Black Grigio Carnico - HB170/6GC

### STAND OPTIONS

Polished Chrome - DHBS/PC

Polished Nickel - DHBS/PN



# **CRITERION**

### FLORIAN

### CTF185/60

Floor mounted 6 bar towel warmer 1800 x 600mm 1865 Btu/h - 546 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### FLW70/80R

Wall mounted towel rail 700 x 800mm 3319 Btu/h - 973 Watts

Closed circuits only

Hydronic Sealed Dual Electric

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### FLW70/66R

Wall mounted towel rail 700 x 660mm 2862 Btu/h - 839 Watts

Closed circuits only

Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### FLW90/80

Wall mounted towel rail 900 x 800mm 1354 Btu/h - 397 Watts

Closed circuits only

Hydronic Sealed Electric Dual

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### FLF90/80R

Floor mounted towel rail 900 x 800mm 3768 Btu/h - 1104 Watts Closed circuits only

Hydronic Sealed Dual Electric Fuel Polished Chrome Polished Nickel



### **FLORIAN**

# LA FAYETTE

### FLF90/66R

Floor mounted towel rail 900 x 600mm 3250 Btu/h - 953 Watts

Closed circuits only

Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFW60/60

Wall mounted towel rail 600 x 600mm 703 Btu/h - 206 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### FLF90/80

Floor mounted towel rail 900 x 800mm 1373 Btu/h - 402 Watts

Closed circuits only

Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFW60/80

Wall mounted towel rail 600 x 800mm 925 Btu/h - 271 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### **FLB**

Floor mounted towel rail 1629 x 648mm 5328 Btu/h - 1561 Watts Closed circuits only

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFW90/60

Wall mounted towel rail 900 x 600mm 1013 Btu/h - 297 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFW90/80

Wall mounted towel rail 900 x 800mm 1095 Btu/h - 321 Watts

> Hydronic Sealed Dual Flectric Fuel

Polished Chrome

Polished Nickel



# La Fayette

# LA FAYETTE

### LFW120/60

Wall mounted towel rail 1200 x 600mm 1324 Btu/h - 388 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome Polished Nickel

Other finishes are available, see page 15



### LFF95/60

Floor mounted towel rail 950 x 600mm 887 Btu/h - 260 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFW120/80

Wall mounted towel rail 1200 x 800mm 1423 Btu/h - 417 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome
Polished Nickel

Other finishes are available, see page 15



### LFF95/80

Floor mounted towel rail 950 x 800mm 1109 Btu/h - 325 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFW150/60

Wall mounted towel rail 1500 x 600mm 1634 Btu/h - 479 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFF125/60

Floor mounted towel rail 1250 x 600mm 1189 Btu/h - 351 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFW150/80

Wall mounted towel rail 1500 x 800mm 1993 Btu/h - 584 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome Polished Nickel

Other finishes are available, see page 15



### LFF125/80

Floor mounted towel rail 1250 x 800mm 1320 Btu/h - 387 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel



# La Fayette

# LA FAYETTE

### LFF155/60

Floor mounted towel rail 1550 x 600mm 1508 Btu/h - 442 Watts

Hydronic Sealed Dual Electric Fuel
Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFH104/60

Floor mounted towel rail 1040 x 600mm 1576 Btu/h - 462 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFF155/80

Floor mounted towel rail 1550 x 800mm 1648 Btu/h - 483 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### LFF185/60

Floor mounted towel rail 1850 x 600mm 1819 Btu/h - 533 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15,



### LFF185/80

Floor mounted towel rail 1850 x 800mm 2081 Btu/h - 610 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome Polished Nickel



### BARONIAL

### BARONIAL

### BRW70/90

Wall mounted towel rail 700 x 900mm 1774 Btu/h - 520 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome Polished Nickel

Other finishes are available, see page 15



### **BRF95/90**

Floor mounted towel rail 950 x 900mm 1774 Btu/h - 520 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### BRW70/120

Wall mounted towel rail 700 x 1200mm 2354 Btu/h - 690 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome Polished Nickel

Other finishes are available, see page 15



### BRF95/120

Floor mounted towel rail 950 x 1200mm 2354 Btu/h - 690 Watts

	Hydronic		Dual Fuel
Polished Chrome			
Polished Nickel	-		
Other finishes are	e available,	see page 1	5



### **BGW70/90**

Wall mounted towel rail 700 x 900mm 3057 Btu/h - 896 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### **BGF95/90**

Floor mounted towel rail 950 x 900mm 3057 Btu/h - 896 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### **BGW70/120**

Wall mounted towel rail 700 x 1200mm 4176 Btu/h - 1244 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15,



### BGF95/120

Floor mounted towel rail 950 x 1200mm 4176 Btu/h - 1224 Watts

Hydronic Sealed Dual Electric Fuel

Polished Chrome Polished Nickel



### D-RAIL

### D-RAIL

### DRW80/60

4 bar towel warmer 800 x 600mm 640 Btu/h - 188 Watts

Now with new integrated valves

Hydronic Sealed Dual Electric Fuel

Polished Chrome
Polished Nickel

Other finishes are available, see page 15



### DRW160/40

17 bar towel warmer 1600 x 400mm 1580 Btu/h - 463 Watts Now with new integrated valves

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### DRW90/50

4 bar towel warmer 900 x 500mm 610 Btu/h - 179 Watts Now with new integrated valves

> Hydronic Sealed Dual Electric Fuel

Polished Chrome Polished Nickel

Other finishes are available, see page 15.



### DRW75/50

2 section, 19 bar towel warmer 750 x 500mm 1050 Btu/h - 308 Watts Now with new integrated valves

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### DRW80/50

9 bar towel warmer 800 x 500mm 970 Btu/h - 284 Watts Now with new integrated valves

> Hydronic Sealed Dual Electric Fuel

Polished Chrome
Polished Nickel

Other finishes are available, see page 15,



### DRW120/50

3 section, 23 bar towel warmer 1200 x 500mm 1350 Btu/h - 396 Watts

Now with new integrated valves

Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### DRW120/40

13 bar towel warmer 1200 x 400mm 1200 Btu/h - 352 Watts Now with new integrated valves

> Hydronic Sealed Dual Electric Fuel

Polished Chrome
Polished Nickel

Other finishes are available, see page 15



### DRW45/120

5 bar towel warmer 450 x 1200mm 1310 Btu/h - 384 Watts Now with new integrated valves

> Hydronic Sealed Dual Electric Fuel

Polished Chrome
Polished Nickel



# D-RAIL

### ZINGO SULTAN


### DRW52/120

2 section, 13 bar towel warmer 520 x 1200mm 1610 Btu/h - 472 Watts Now with new integrated valves

Hydronic Sealed Dual Electric Fuel

Polished Chrome
Polished Nickel

Other finishes are available, see page 15



### ZSW100/60

Wall mounted towel rail 1000 x 600mm 2839 Btu/h - 832 Watts

Polished Chrome
Polished Nickel
Other finishes are available, see page 15



### **DRF180/50**

9 bar towel warmer 1805 x 500mm 1290 Btu/h - 378 Watts Now with new integrated valves

Now with new integrated valves

Hydronic Sealed Electric Fuel

Polished Chrome
Polished Nickel

Other finishes are available, see page 15



### ZSW50/120

Wall mounted towel rail 500 x 1200mm 3351 Btu/h - 982 Watts

PolishedChrome
Polished Nickel



### DRF95/90

5 bar towel warmer 950 x 900mm 1040 Btu/h - 305 Watts Now with new integrated valves

Hydronic Sealed Electric Puel

Polished Chrome
Polished Nickel

Other finishes are available, see page 15,



### ZSF180/60

Floor & wall mounted towel rail 1800 x 600mm 4136 Btu/h - 1212 Watts

Other finishes are available, see page 15

Polished Chrome
Polished Nickel
Other finishes are available



12

# **Ј**АСОВ

### ST LEGER

### JCW184/80

Wall mounted towel rail 1840 x 800mm 1774 Btu/h - 520 Watts

Hydronic Sealed Dual Electric Fuel

Polshed Nickel

JCF184/80

Polished Nickel

Other finishes are available, see page 15



Floor mounted towel rail 1840 x 800mm 1774 Btu/h - 520 Watts

Hydronic Sealed Dual Electric Fuel

Other finishes are available, see page 15



### SLW110/45

Wall mounted towel rail 1100 x 450mm 2771 Btu/h - 812 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### SLW160/45

Wall mounted towel rail 1600 x 450mm 3603 Btu/h - 1056 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### SLF180/45

Floor & wall mounted towel rail 1800 x 450mm 4057 Btu/h - 1189 Watts

> Hydronic Sealed Dual Electric Fuel

Polished Chrome

Polished Nickel



# CLARENCE

# CURTAIN RAILS

### **CBG**

Basin stand with glass shelf 810 x 630 x 410mm

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### CRH30

Curtain rail hoop 838 x 762mm Bespoke sizes available upon request. Curtains and hooks not included.

Polished Chrome

Polished Nickel

Other finishes are available, see page 15,



### **CBR**

Basin stand with rail shelf 810 x 630 x 410mm

**Polished Chrome** 

Polished Nickel

Other finishes are available, see page 15



### **CRU**

Curtain rail U 1219 x 711mm Bespoke sizes available upon request.

Curtains and hooks not included.

Polished Chrome

Polished Nickel

Other finishes are available, see page 15



### **CRS**

Curtain rail straight 2110mm, adjustable Bespoke sizes available upon request. Curtains and hooks not included.

Polished Chrome

Polished Nickel



# VALVES

### **FINISHES**

### **Pullman**

In metal finishes or with coloured handles

Polished Chrome (PRVCP) Polished Nickel (PRVNK)

Other finishes are available, see right



All our rails & valves are available in the finishes shown here, bespoke options also available.



Polished Chrome (PC)



Polished Nickel (PN)

### **Penhallam**

With white or black ceramic handles

White - Polished Chrome (PHRVCP-WH) Black - Polished Chrome (PHRVCP-BL) White - Polished Nickel (PHRVNK-WH)

Black - Polished Nickel (PHRVNK-BL)

Other finishes are available, see right



Brushed Nickel (BN)



London Bronze (LB)



**Portobello** 

Walnut wood handle with bell housing



Oil Rubbed Bronze (ORB)



Polished Copper (PCO)



Polished Brass (PB)



Champagne Gold (CG)



Hard Rubbed Gold (HRG)



Antique Gold (AG)



Polished Nickel (PORVNK)



# Towel Warmer Glossary

	Product No.	Btu/hr @ Delta 60	Watts @ Delta 60	Overall height	Width over flange	Projection	Pipe centre for valves	Page No.
	CTW60/60	865	254	600	600	155	505	5
**************************************	CTW120/60	1447	426	1200	600	155	505	5
	CTF95/60	966	283	950	600	155	365	5
	CTF95/80	1112	326	950	800	155	565	5
	CTF185/60	1865	546	1850	600	155	365	6
	FLW70/80R	3319	973	700	800	250	600	6
	FLW70/66R	2862	839	700	665	250	468	6
aa	FLW90/80	1354	397	900	800	250	600	6
	FLF90/80R	1373	1104	900	800	250	457	6
Fig. 9	FLF90/66R	3250	953	900	665	250	315	7
	FLF90/80	1373	402	900	800	250	447	7
	FLB BUTLER	5328	1561	1629	648	343	305	7
	LFW60/60	703	206	600	600	155	516	7
	LFW60/80	925	271	600	800	155	716	7
	LFW90/60	1013	297	900	600	155	516	7

# Towel Warmer Glossary

	Product No.	Btu/hr @ Delta 60	Watts @ Delta 60	Overall height	Width over flange	Projection	Pipe centre for valves	Page No.
	LFW90/80	1095	321	900	800	155	716	7
	LFW120/60	1324	388	1200	600	155	516	8
	LFW120/80	1423	417	1200	800	155	716	8
	LFW150/60	1634	479	1500	600	155	516	8
	LFW150/80	1993	584	1500	800	155	716	8
Ħ	LFF95/60	887	260	950	600	177	365	8
Ħ	LFF95/80	1109	325	950	800	177	565	8
	LFF125/60	1189	351	1250	600	177	365	8
	LFF125/80	1320	387	1250	800	177	565	8
	LFF155/60	1508	442	1550	600	177	365	9
	LFF155/80	1648	483	1550	800	177	565	9
	LFF185/60	1819	533	1850	600	177	365	9
	LFF185/80	2081	610	1850	800	177	565	9
H	LFH104/60	1576	462	1040	600	270	365	9
	BRW70/90	1774	520	700	900	180	788	10

# Towel Warmer Glossary

	Product No.	Btu/hr @ Delta 60	Watts @ Delta 60	Overall height	Width over flange	Projection	Pipe centre for valves	Page No.
	BRW70/120	2354	690	700	1200	180	1088	10
	BGW70/90	3057	896	700	900	245	788	10
	BGW70/120	4176	1224	700	1200	245	1088	10
Ħ	BRF95/90	1774	520	950	900	200	632	10
	BRF95/120	2354	690	950	1200	200	932	10
	BGF95/90	3057	896	950	900	245	632	10
	BGF95/120	4176	1224	950	1200	245	932	10
	DRW80/60	640	188	810	610	127	N/A	11
	DRW90/50	610	179	910	510	127	N/A	11
	DRW80/50	970	284	800	510	127	N/A	11
	DRW120/40	1200	352	1200	410	127	N/A	11
	DRW160/40	1580	463	1600	410	127	N/A	11
	DRW75/50	1050	308	750	510	127	N/A	11
	DRW120/50	1350	396	1200	510	127	N/A	11
	DRW45/120	1310	384	450	1210	127	N/A	11

# TOWEL WARMER GLOSSARY

	Product No.	Btu/hr @ Delta 60	Watts @ Delta 60	Overall height	Width over flange	Projection	Pipe centre for valves	Page No.
	DRW52/120	1610	472	520	1210	127	N/A	12
	DRF180/50	1290	378	1805	510	127	N/A	12
	DRF95/90	1040	305	950	910	127	N/A	12
	ZSW100/60	2839	832	1000	610	127	550	12
	ZSW50/120	3351	982	500	1210	127	1150	12
	ZSF180/60	4136	1212	1800	610	127	550	12
	JCW184/80	1774	520	1840	800	200	592	13
	JCF184/80	1774	520	1840	800	200	592	13
	SLW110/45	2771	812	1100	450	175	240	13
THE	SLW160/45	3603	1056	1600	450	175	240	13
Ħ	SLF180/45	4057	1189	1800	450	175	220	13

All measurements are in millimetres and may vary slightly due to products being handmade.

Bard and Brazier reserve the right to alter dimensions.

E. & O.E.



Marston Road, Wolverhampton, West Midlands WV2 4LX. T: +44 (0)121 270 2222 E: Info@bardbrazier.co.uk

www.BardBrazier.co.uk